

UPPER ROOF FRAMING PLAN

1/8" = 1'-0"

FRAMING NOTES:

1. ALL ELEVATIONS ARE BASED ON FINISH FLOOR = 100'-0".
2. BRIDGING NOT SHOWN FOR CLARITY. REFER TO GENERAL NOTES.
3. MEMBER CONNECTION SHALL SATISFY THE LATEST OSHA ERECTION REQUIREMENTS.
4. REFER TO 12/S4 FOR THERMOBLOCK WALL REINFORCING. REFER TO SHEET S4.1 FOR WALL PLAN.



LEGEND

- THERMOBLOCK LINTELS BELOW FRAMING LEVEL
- THERMOBLOCK ICF WALL
- THERMOBLOCK ICF WALL BELOW FRAMING LEVEL ONLY
- JOIST FRAMING
- STEEL BEAM (+X DENOTES POSITIVE VERTICAL CAMBER WHERE REQUIRED)

ALTERED GABLE TRUSS SCHEDULE

MARK	UNIF. LOAD (PLF)		UNIF. WIND LOAD 1 (PLF)		UNIF. WIND LOAD 2 (PLF)		UNIF. WIND LOAD 3 (PLF)		UNIF. WIND LOAD 4 (PLF)		POINT LOAD 1 (K)			POINT LOAD 2 (K)		
	DL	RLL									DL	RLL	WL	DL	RLL	WL
TRUSS 1	48	120	73	-206	-206	-206	73	-324	-324	-324	0.24	1.0	-1.5	0.24	1.0	-1.5
TRUSS 2	48	120	73	-206	-206	-206	73	-324	-324	-324	1.4	3.4	-5.2	1.4	3.4	-5.2

NOTE: DESIGN ROOF TRUSS AS REVERSIBLE.

hatch + ulland owen architects

702 San Antonio Street
Austin, Texas 78701
T: 512.474.8548
F: 512.474.8643

www.huoarchitects.com

CIVIL ENGINEER:
TEXAS DESIGN INTERESTS
6001 W. WILLIAM CANNON
AUSTIN, TX 78749
512-301-3389

STRUCTURAL ENGINEER:
TEXAS DESIGN INTERESTS
6001 W. WILLIAM CANNON
AUSTIN, TX 78749
512-301-3389

MECHANICAL, ELECTRICAL & PLUMBING ENGINEERS:
AYS ENGINEERING, LLC
3905 SAM BASS ROAD
ROUND ROCK, TX 78681
512-861-6835

LANDSCAPE ARCHITECT:

HOUSTON GATEWAY ACADEMY INC

BOWIE CAMPUS

7310 BOWIE ST
HOUSTON, TX 77012

CITY OF HOUSTON
PROJECT # 09044674

NOTE: This document, the ideas and design incorporated herein are and shall remain the property of h+uo architects. These documents are not to be used or altered, in whole or in part, for other than the original intended use, nor are they to be assigned to any third party without written permission from h+uo architects.

NOTE: By act of submitting a bid for the proposed contract, the bidder warrants that the bidder, and all subcontractors and material suppliers he intends to use have carefully and thoroughly reviewed the drawings and specifications and other construction documents and that the bid is complete and free from any ambiguities and sufficient for the purpose intended. The bidder further warrants that to the best of their or their subcontractor's and material supplier's knowledge all materials and products specified or indicated herein are acceptable for all applicable codes and authorities.

STATE OF TEXAS
JOHN R. BEARDEN
92544
REGISTERED PROFESSIONAL ENGINEER
8.20.09
FIRM REG. # F-8601

PROJECT MGR:	
DRAWN BY:	CHKD. BY:

ISSUE DATES:

	date	issue
1	06.05.09	PERMIT SET
2	08.14.09	COH REVIEW 1

PROJECT # 302-103

TEXAS DESIGN INTERESTS, LLC
AUSTIN • HOUSTON

6001 W. WILLIAM CANNON
BUILDING 2, SUITE 203-C
AUSTIN, TX 78749
(512) 301-3389 (o)
(512) 301-3348 (f)

COMMERCIAL/RESIDENTIAL - CIVIL & STRUCTURAL ENGINEERING

FRAMING PLAN

S3.2