ADA INFORMATION:

01 ELEVATION - NOT USED

SCALE: N.T.S.



ACCESSIBILITY

SIGNAGE CHARACTERS PROPORTIONS MEASURE SIGNAGE CHARACTERS USING A CAPITAL "X".

OVERHEAD SIGN CLEARANCE



MOUNTING LOCATION REQUIRED WHERE POSSIBLE



ALTERNATE MOUNTING LOCATION - NEAREST ADJACENT WALL

02 FIXTURE MOUNT HEIGHTS

SCALE: N.T.S.



RECESSED PLAN



SURFACE PLAN



SIDE ELEVATION

NOTE: SPOUT SHALL PROVIDE A FLOW OF WATER AT LEAST 4" HIGH.

IF MOUNTED MORE THAN 27" AFF, THE LEADING EDGE OF THE DRINKING FOUNTAIN CAN ONLY PROTRUDE A MAXIMUM OF 4 INCHES INTO WALKS, CORRIDORS, PASSAGEWAYS, HALLS OR AISLES.

IF MOUNTED AT 27" AFF OR BELOW THE LEADING EDGE OF DRINKING FOUNTAIN CAN PROTRUDE ANY AMOUNT.

IF MOUNTING A "HI-LO" FOUNTAIN THEN PROVIDE ONE FOUNTAIN AT A MAXIMUM HEIGHT OF 36" TO THE SPOUT AND ONE AT A STANDARD MOUNTING HEIGHT OF 40" - 42".

03 SIGNAGE

SCALE: N.T.S.



CLEARANCE FOR DOORS IN SERIES

NOTE: ALL DOORS IN ALCOVES MUST COMPLY WITH THE CLEARANCES NOTED FOR FRONT APPROACHES.





SWING DOOR CLEARANCES



PULL SIDE, FRONT APPROACH



PULL SIDE, HINGE SIDE APPROACH



PULL SIDE, LATCH SIDE APPROACH

* w/CLOSER

MANEUVERING CLEARANCES AT DOORS - OUTSWINGING DOORS

04 DRINKING FOUNTAINS

SCALE: N.T.S.



PUSH SIDE FRONT APPROACH



PUSH SIDE, HINGE SIDE APPROACH

* w/LATCH & CLOSER



PUSH SIDE, LATCH SIDE APPROACH

* w/CLOSER



DOOR THRESHOLD DETAIL

MANEUVERING CLEARANCES AT DOORS - OUTSWINGING DOORS

05 DOORS

SCALE: N.T.S.



CLEAR FLOOR SPACE REQUIREMENTS



WHEELCHAIR TURNING SPACE



T-SHAPED SPACE FOR 180° TURNS



GRATING - PLAN



FORWARD REACH



MAXIMUM SIDE REACH OVER AN OBSTRUCTION



HIGH AND LOW SIDE REACH



HIGH AND LOW REACH (ADJUSTABLE SHELVES)



MAXIMUM FRONT REACH OVER AN OBSTRUCTION



ANY DIMENSION PERMISSIBLE BETWEEN WING WALLS

PROTRUSION LIMITS - PLAN



PROTRUSION LIMITS - SECTION



GRATING - DETAIL



MOUNTING HEIGHTS



MINIMUM USABLE TREAD WIDTH AND MAXIMUM NOSING DIMENSIONS



CARPET PILE THICKNESS



CHANGES IN LEVEL

MANEUVERING CLEARANCES AT ALCOVES

06 MISCELLANEOUS DETAILS

SCALE: N.T.S.

THIS SHEET AND DETAILS ARE INCLUDED HERE FOR CONVENIENCE. THEY ARE NOT ALL INCLUSIVE, NOR DO THEY RELIEVE THE CONTRACTOR OF FULL RESPONSIBILITY OF CONSTRUCTING THE PROJECT TO MEET TEXAS ACCESSIBILITY STANDARDS NOR A.N.S.I. STANDARDS.

hatch + ulland owen
architects

702 San Antonio Street
Austin, Texas 78701
T: 512.474.8548
F: 512.474.8643

www.huoarchitects.com

CIVIL ENGINEER:
TEXAS DESIGN INTERESTS
6001 W. WILLIAM CANNON
AUSTIN, TX 78749
512-301-3389

STRUCTURAL ENGINEER:
TEXAS DESIGN INTERESTS
6001 W. WILLIAM CANNON
AUSTIN, TX 78749
512-301-3389

MECHANICAL, ELECTRICAL & PLUMBING ENGINEERS:
AYS ENGINEERING, LLC
3905 SAM BASS ROAD
ROUND ROCK, TX 78681
512-961-6835

LANDSCAPE ARCHITECT:

HOUSTON GATEWAY ACADEMY
INC

BOWIE CAMPUS

7310 BOWIE ST
HOUSTON, TX 77012

CITY OF HOUSTON
PROJECT # 09044674

NOTE: This document, the ideas and design incorporated herein are and shall remain the property of h+uo architects. These documents are not to be used or altered, in whole or in part, for other than the original intended use, nor are they to be assigned to any third party without a written permission from h+uo architects.

NOTE: By act of submitting a bid for the construction of this project, the bidder certifies that the bidder, and all subcontractors and material suppliers he intends to use have carefully and thoroughly reviewed the drawings and specifications and other construction documents and that the bid is complete and accurate from any ambiguities and sufficient for the purpose intended. The bidder further warrants that to the best of their or their subcontractor's and material supplier's knowledge all materials and products specified or indicated herein are acceptable for use in applicable codes and authorities.

REGISTERED ARCHITECT
MIKAILI STEPHEN OWEN
17383
STATE OF TEXAS
06.05.09

PROJECT MGR:
DRAWN BY: CHKD. BY:

ISSUE DATES:

	date	issue
1	06.05.09	PERMIT SET

ACCESSIBILITY SHEET

A0.2